

Configuring the Gateway/VPN Host Network

1. Open a web browser to <http://www.logmein.com>. You'll need to sign up for an account if you don't already have one. You'll want to use a computer that is *in the office* and is *always on!*
2. Once you've logged in, select the "Network" option on the left-side menu. You can use the "Start Creating Networks" button if this is your first Hamachi network or the "Add Network" button if you created one previously.

LogMeIn Simply ConnectedSM

Support & Sales
1-866-478-1805
Intl callers [click here](#)

English (US)

Solutions Products About Us Support Contact Store Labs & Beta

echung@spkaa.com | My Computers | [Log Out](#)

ACCESS
BACKUP
NETWORK
My Networks
All Clients
Join Requests
Users
Configuration
Deployment
Buy

My Networks

LogMeIn Hamachi Get Started Now with On-Demand VPN Connectivity

LogMeIn Hamachi gives you a hosted VPN service for securely connecting devices and networks. You can extend LAN-like network connectivity to remote offices and users by creating virtual networks on demand, across public and private networks.

[Start Adding Clients](#) [Start Creating Networks](#)

Get Started in 3 Steps:

- 1 Deploy** Hamachi to devices you want to connect
- 2 Set up** virtual networks: mesh, hub-and-spoke or gateway.
- 3 Network** devices together with centralized management

Non-commercial use only

3. Enter a name and description. Most importantly, select “Gateway” as the Network Type before you click Continue. This is the ‘most traditional’ method of using a VPN, where client computers are able to access the host computer’s network.

Add Network (Step 1)


Networks in **non-commercial** accounts are limited to 16 members. [Upgrade to a commercial license](#) if you need more.

Network type and name

Network name:

Network description (optional):

Network type:



Gateway Network

A gateway network integrates smoothly into your physical network also in terms of IP addressing. Your gateway will provide regular members with access to the entire physical network. There must be one and only one dedicated gateway in this type of network and there can be any number of regular members.

Note: The Hamachi client will not act as a gateway on Workstation operating systems if they are domain members.

4. I prefer to “Accept automatically” any clients who know the correct password. This is easy to modify if you’d like to change it later.

Add Network (Step 2)

Join Requests

- Accept automatically
- Must be approved
- Members can be added on the web only

Network password

- A password is required to join this network

Network password

Confirm password

Clients requesting to join the network must enter the password. If you do not set a password, we recommend setting the Join Request behavior to **Must be approved** or **Members can be added on the web only**.

5. The next screen is where you select the Gateway or Host computer. Because you haven’t installed Hamachi yet, there are no options to select. Click “Continue to Add Client” to start the Client Installation Wizard.

Add Network (Step 3)

Network: CampbellOfficeVPN



Select a computer to be the gateway for this network.

The gateway computer cannot be a member of any other network.

[Read more](#)

Select the gateway (maximum 16 allowed)

No eligible members to list.

 [Continue to Add Client](#)

- The defaults for the Hamachi installation are perfectly fine. Be sure to Launch Hamachi upon completion of the installation.
- After this has completed, you'll be back to the "My Networks" page of the LogMeIn.com website. You should see your Client machine listed; if not, try Refreshing the web page.
- Note that our client (in this example, 'ECHUNG-XPMODETE') is not a part of the CampbellOfficeVPN network. Click on the "Edit" link on the right side of the web page.

LogMeIn® Simply Connected™

Support & Sales
1-866-478-1805
Intl callers [click here](#)

English (US)

Solutions Products About Us Support Contact Store Labs & Beta

echung@spkaa.com | My Computers | Log Out

My Networks

[Add Client](#) [Add Network](#)

My Networks

All Clients

Join Requests

Users

Configuration

Deployment

Buy

CampbellOfficeVPN (Gateway, empty network) – [Edit](#)

[Non-members] (1 client, 1 online)

Client	Client ID	Virtual IP	Version	Tag	Settings
● ECHUNG-XPMODETE	090-999-011	5.108.136.227	win32-2.1.0.124		Edit

- Click on the "Networks" tab and add a check-mark to the network you want this client to have access to, then click "Save".

Edit Client

ECHUNG-XPMODETE - 090-999-011

[Name](#) [Networks](#) [Settings](#) [Delete](#)

Network name	Type	# of clients	Description
<input checked="" type="checkbox"/> CampbellOfficeVPN	Gateway	0	Access Internal File Servers and Applications

[Save](#) [Cancel](#)

10. Navigate back to the “My Networks” page. You’ll notice that the client is now a part of the VPN network; it still requires configuration before we’re done. This time, click on the “Edit” link for the network.

My Networks

[+ Add Client](#) [+ Add Network](#)



CampbellOfficeVPN (Gateway, 1 client, **1 online**) [- Edit](#)

Client	Client ID	Virtual IP	Version	Tag	Settings
● ECHUNG-XPMODETE	090-999-011	5.108.136.227	win32-2.1.0.124		Edit

[Non-members] (empty network)

11. Our last step is to configure the Gateway. In the first “Members” tab, click on the “Add/Remove members” link. Then click the radio-button under Gateway for our single client member. And click “Save”.

Edit Network

CampbellOfficeVPN ▾

Members | [Join Requests](#) | [Settings](#) | [Password](#) | [Delete](#)

ID	Name	Type	Description
079-756-241	<input type="text" value="CampbellOfficeVPN"/>	Gateway	<input type="text" value="Access Internal File Servers and Applicatio"/>

Use the ID when joining this network from the Hamachi client.

[View current members](#) | [Add/Remove members](#)

Name	Gateway	Member	Client ID	Tag
<input checked="" type="checkbox"/> ECHUNG-XPMODETE	<input checked="" type="radio"/>	<input type="radio"/>	090-999-011	

12. The VPN network is now completely configured. Next, we need to add some client members!

My Networks

[+ Add Client](#) [+ Add Network](#)



CampbellOfficeVPN (Gateway, 1 client, **1 online**) – [Edit](#)

Client	Client ID	Virtual IP	Version	Tag	Settings
<input checked="" type="checkbox"/> ECHUNG-XPMODETE [Gateway]	090-999-011	5.108.136.227	win32-2.1.0.124		Edit

[Non-members] (empty network)

Adding Client Member Computers to the VPN Network

1. Click on the “Add Client” link in the My Networks page.

My Networks

[+ Add Client](#) [+ Add Network](#)



CampbellOfficeVPN (Gateway, 1 client, **1 online**) – [Edit](#)

Client	Client ID	Virtual IP	Version	Tag	Settings
<input checked="" type="checkbox"/> ECHUNG-XPMODETE [Gateway]	090-999-011	5.108.136.227	win32-2.1.0.124		Edit

[Non-members] (empty network)

2. Change this selection to “Deploy LogMeIn Hamachi to remote computer(s)”. Click “Continue”.

Add Client

LogMeIn Hamachi

- Install LogMeIn Hamachi on this computer [\(Learn more\)](#)
- Deploy LogMeIn Hamachi to remote computer(s)**

[Continue](#) [Cancel](#)

- You can configure a maximum number of uses and expiration period for your VPN installer. Be sure to select the network that you'd like clients to automatically join.

Add Client

Deploy LogMeIn Hamachi to remote computer(s) (Step 1 of 2)

Note: You are about to create and send a customized link that each recipient can use to install the LogMeIn Hamachi client. Each client will be attached to this LogMeIn account (the account you are using right now).

Description (for your reference only)

Maximum number of remote installations:

Expiration:

Networks: CampbellOfficeVPN

- The next window will show you a URL. Save this URL! You can use this URL to install the VPN on clients or home computers.

Add Client

Deploy LogMeIn Hamachi to remote computer(s) (Step 2 of 2)

Description	Installations	Created at	Expires at	Status	Networks
ClientInstaller	0 of 10	Oct 14, 2011	Oct 21, 2011	Enabled	CampbellOfficeVPN

Your customized installation link is below (send this to remote users/computers)

<https://secure.logmein.com/hamachi/ih1.asp?lang=en&c=>

Copy this link and paste it into an email or instant message

Create an email message that automatically contains this link

This will show you what the end user will see when they click on the installation link

5. Open the URL you saved.

Welcome to the LogMeIn Hamachi Installer

This will install the LogMeIn Hamachi client to this computer. Your Hamachi administrator will be able to change settings and manage your network memberships.

Hamachi is a secure virtual private networking (VPN) tool that allows your trusted IT support professional to set up a VPN over the internet, and bring your computer into that network. [Learn more about LogMeIn Hamachi.](#)

I have received this link from a trusted source

[Continue](#)

6. Click the "Download Now" button.

Welcome to the LogMeIn Hamachi Installer

1 **Download LogMeIn Hamachi**

[Download Now](#)

7. Run the downloaded file to start installation on the client machine.



- Go through the familiar LogMeIn Hamachi Setup; the defaults should all be suitable. Launch Hamachi when you're finished.



- When Hamachi launches, it will already be a part of the VPN network. Click on the 'power button' to turn the VPN off or on – when on, you'll be able to access your office network.

